

CD62L Antibody

Subcategory: Rabbit Polyclonal Antibody

Cat. No.: 251408

Unit: 0.1 mg

Description:

CD62 antigen-like family member L (CD62L) is a cell surface adhesion protein. CD62L mediates the adherence of lymphocytes to endothelial cells of high endothelial venules in peripheral lymph nodes. CD62L promotes initial tethering and rolling of leukocytes in endothelia.

Isotype: Rabbit Ig

Applications: E, IHC, WB

Species Reactivity: Ca, H, M, P, Rb, R


Format: Each vial contains 0.1 mg IgG in 0.1 ml (1 mg/ml) of PBS pH7.4 with 0.09% sodium azide. Antibody was purified by Protein-G affinity chromatography.

Alternate Names: CD62L; L-Selectin; Lymph node homing receptor; Leukocyte adhesion molecule 1; LAM-1; Leukocyte surface antigen Leu-8; TQ1; gp90-MEL; Leukocyte-endothelial cell adhesion molecule 1; LECAM1; CD62 antigen-like family member L; SELL

Accession No.: Q3UV83

Antigen: KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human CD62L.

Application Notes: E: 1:500-1:1,000; WB: 1:100-1:500; IHC: 1:100-1:500



CD62L staining in mouse kidney. Formalin-fixed paraffin-embedded mouse kidney tissue is stained with CD62L Antibody (Cat. No. 251408) used at 1:200 dilution.

Storage: Store at -20°C. Minimize freeze-thaw cycles. Product is guaranteed one year from the date of shipment.

For research use only, not for diagnostic or therapeutic procedures.