

IL-17 Antibody

Subcategory: Rabbit Polyclonal Antibody

Cat. No.: 251552

Unit: 0.1 mg

Description:

Interleukin-17 (IL-17) induces stromal cells to produce proinflammatory cytokines. IL-17A enhances the surface expression of the intracellular adhesion molecule-1 (ICAM-1) in fibroblasts.

Isotype: Rabbit Ig

Applications: E, WB, IHC

Species Reactivity: H, M, R


Format: Each vial contains 0.1 mg IgG in 0.1 ml (1 mg/ml) of PBS pH7.4 with 0.09% sodium azide. Antibody was purified by Protein-G affinity chromatography.

Alternate Names: Interleukin-17A; IL-17A; IL-17; Cytotoxic T-lymphocyte-associated antigen 8; CTLA-8; IL17A; CTLA8; IL17

Accession No.: Q16552

Antigen: KLH-conjugated synthetic peptide encompassing a sequence within the N-term region of human IL-17.

Application Notes: E: 1:500-1:1,000; WB: 1:100-1:500; IHC: 1:100-1:500



Paraffin-embedded rat small intestine is stained with IL-17 Antibody (Cat. No. 251552) used at 1:200 dilution.

Storage: Store at -20°C. Minimize freeze-thaw cycles. Product is guaranteed one year from the date of shipment.

For research use only, not for diagnostic or therapeutic procedures.