

Ki-67 Antibody

Subcategory: Rabbit Polyclonal Antibody

Cat. No.: 250733

Unit: 0.1 mg

Description:

Ki-67 is required for maintaining cell proliferation. Ki-67 is predominantly localized in the perinucleolar region during the G1 phase. Ki-67 is expressed during late G1, S, G2 and M phases of the cell cycle.

Isotype: Rabbit Ig

Applications: E, IHC, WB

Species Reactivity: B, H, M, P, R


Format: Each vial contains 0.1 mg IgG in 0.1 ml (1 mg/ml) of PBS pH7.4 with 0.09% sodium azide. Antibody was purified by Protein-G affinity chromatography.

Alternate Names: Antigen Ki-67; MKI67

Accession No.: P46013

Antigen: KLH-conjugated synthetic peptide encompassing a sequence within the center region of human Ki-67.

Application Notes: E: 1:500-1:1,000; WB: 1:100-1:500; IHC: 1:100-1:500



Ki-67 staining of mouse liver. Paraffin-embedded mouse liver is stained with Ki-67 Antibody (Cat. No. 250733) used at 1:200 dilution.

Storage: Store at -20°C. Minimize freeze-thaw cycles. Product is guaranteed one year from the date of shipment.

Product Citations: [1] Aydogan A et al. 2012. Dept of Pathology. Faculty of Veterinary Medicine. Revue Med. Vet. 163(11):536-538. [2] Pullamsetti S et al. 2011. American Journal of Respiratory and Critical Care Medicine. 185(4): 409-419. PMID# 22161164.

For research use only, not for diagnostic or therapeutic procedures.