
PSMC3 Antibody

Subcategory: Rabbit Polyclonal Antibody

Cat. No.: 251914

Unit: 0.1 mg

Description:

Proteasome 26S subunit ATPase 3 (PSMC3) is involved in the ATP-dependent degradation of ubiquitinated proteins. In HIV-1 infection, PSMC3 suppresses Tat-mediated transactivation. PSMC3 is sumoylated by UBE2I in response to MEKK1-mediated stimuli.

Isotype: Rabbit Ig

Applications: E, WB

Species Reactivity: H, M, R

Format: Each vial contains 0.1 mg IgG in 0.1 ml (1 mg/ml) of PBS pH7.4, 2% BSA with 0.09% sodium azide. Antibody was purified by immunogen affinity chromatography.

Alternate Names: 26S protease regulatory subunit 6A; Proteasome 26S subunit ATPase 3; Tat-binding protein 1; TBP-1; Proteasome subunit P50; PSMC3; TBP1

Accession No.: P17980

Antigen: KLH-conjugated synthetic peptide encompassing a sequence within human PSMC3.

Application Notes: E: 1:10,000-1:50,000; WB: 1:200-1:1,000

Storage: Store at -20°C. Minimize freeze-thaw cycles.

Product is guaranteed one year from the date of shipment.

For research use only, not for diagnostic or therapeutic procedures.