

RFP2 Antibody

Subcategory: Rabbit Polyclonal Antibody

Cat. No.: 251946

Unit: 0.1 mg

Description:

E3 ubiquitin-protein ligase TRIM13 (RFP2) is involved in the retrotranslocation and turnover of membrane and secretory proteins from the ER through a set of processes named ER-associated degradation (ERAD). This process acts on misfolded proteins as well as in the regulated degradation of correctly folded proteins. RFP2 is located on chromosome 13 within the minimal deletion region for B-cell chronic lymphocytic leukemia.

Isotype: Rabbit Ig

Applications: E, WB

Species Reactivity: H


Format: Each vial contains 0.1 mg IgG in 0.1 ml (1 mg/ml) of PBS pH7.4, 0.1% BSA with 0.09% sodium azide. Antibody was purified by Protein-G affinity chromatography.

Alternate Names: Tripartite motif-containing protein 13; Ret finger protein 2; Putative tumor suppressor RFP2; Leukemia-associated protein 5; B-cell chronic lymphocytic leukemia tumor suppressor Leu5; TRIM13; LEU5; RNF77

Accession No.: O60858

Antigen: KLH-conjugated synthetic peptide encompassing a sequence within the N-term of human RFP2.

Application Notes: E: 1:1,000-1:10,000; WB: 1:100-1:500



The RFP2 Antibody is used in Western blot to detect RFP2 in HeLa cell lysates.

Storage: Store at -20°C. Minimize freeze-thaw cycles. Product is guaranteed one year from the date of shipment.

For research use only, not for diagnostic or therapeutic procedures.