

RIP-3 Antibody

Subcategory: Rabbit Polyclonal Antibody

Cat. No.: 251947

Unit: 0.1 mg

Description:

Receptor-interacting serine/threonine-protein kinase 3 (RIP-3) is a protein kinase that binds TRAF2 and RIPK1 and is recruited to the TNFR-1 signaling complex. RIP-3 is highly expressed in the pancreas, and lower levels are detected in heart, placenta, lung and kidney. Isoform 3 is significantly increased in colon and lung cancers.

Isotype: Rabbit Ig

Applications: E, WB

Species Reactivity: H


Format: Each vial contains 0.1 mg IgG in 0.1 ml (1 mg/ml) of PBS pH7.4 with 0.09% sodium azide. Antibody was purified by Protein-G affinity chromatography.

Alternate Names: Receptor-interacting serine/threonine-protein kinase 3; RIP-like protein kinase 3; Receptor-interacting protein 3; RIP-3; RIPK3; RIP3

Accession No.: Q9Y572

Antigen: KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human RIP-3.

Application Notes: E: 1:10,000-1:50,000; WB: 1:100-1:500



The RIP-3 Antibody is used in Western blot to detect RIP-3 in human fetal kidney lysates.

Storage: Store at -20°C. Minimize freeze-thaw cycles. Product is guaranteed one year from the date of shipment.

For research use only, not for diagnostic or therapeutic procedures.