
SNAIL Peptide

Subcategory: Synthetic Peptide, Blocking Peptide

Cat. No.: 350488

Unit: 0.1 mg

Description:

SNAIL is involved in embryonic mesoderm formation by binding to 3 E-boxes of the E-cadherin gene promoter and repressing its transcription.

Format: Each vial contains 0.1 ml peptide in deionized water for a final concentration of 1 mg/ml. Use at 5.6 ug/ml for a 100X excess over antibody for maximum blocking effect.

Alternate Names: Zinc finger protein SNAI1; Protein Snail homolog; Protein Sna; SNAI1; SNAH

Accession No.: O95863

MW: 1967 g/mol

Sequence: The synthetic peptide used to raise the antibody Cat. No. 200126 is selected from a sequence within the N-term region of human SNAIL. For blocking experiments, a 10 to 100 fold molar excess to antibody is recommended.

Composition: C79H123N25O32S1

Purity: Purity > 80% by HPLC

Solubility: Distilled water for a solution up to 2 mg/ml, otherwise we recommend using acetonitrile.

Storage: Store at -20°C. The product is hygroscopic and must be protected from light. Product is guaranteed one year from the date of shipment. Following reconstitution, store at -20°C.

For research use only, not for diagnostic or therapeutic procedures.