

Human EZR / VIL2 / Ezrin Protein (His Tag)

Catalog Number: 12858-H07E



Sino Biological Inc.
Biological Solution Specialist

General Information

Gene Name Synonym:

CVIL; CVL; HEL-S-105; VIL2; AW146364; p81; R75297; Vil2

Protein Construction:

A DNA sequence encoding the mature form of human EZR (P15311) (Pro2-Leu586) was expressed with a polyhistidine tag at the N-terminus.

Source: Human

Expression Host: E. coli

QC Testing

Purity: > 60 % as determined by SDS-PAGE

Endotoxin:

Please contact us for more information.

Stability:

Samples are stable for up to twelve months from date of receipt at -70 °C

Predicted N terminal: His

Molecular Mass:

The recombinant human EZR consists of 601 amino acids and predicts a molecular mass of 71.2 KDa. It migrates as an approximately 82 KDa band in SDS-PAGE under reducing conditions.

Formulation:

Lyophilized from sterile PBS 100mM Arg 10% glycerol, 0.1% Tween 20, pH 7.5

Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Specific concentrations are included in the hardcopy of COA. Please contact us for any concerns or special requirements.

Usage Guide

Storage:


Store it under sterile conditions at -20°C to -80°C upon receiving. Recommend to aliquot the protein into smaller quantities for optimal storage.

Avoid repeated freeze-thaw cycles.

Reconstitution:

Detailed reconstitution instructions are sent along with the products.

SDS-PAGE:



Protein Description

VIL2, also known as villin-2, belongs to the ERM protein family. It is expressed in cerebral cortex, basal ganglia, hippocampus, hypophysis, and optic nerve. VIL2 contains 1 FERM domain and may be involved in connections of major cytoskel

References

- 1.Grnholm M, *et al.* (1999) Homotypic and heterotypic interaction of the neurofibromatosis 2 tumor suppressor protein merlin and the ERM protein ezrin. *J Cell Sci.* 112(6):895-904.
- 2.Sitaraman, *et al.* (2002) The adenosine 2b receptor is recruited to the plasma membrane and associates with E3KARP and Ezrin upon agonist stimulation. *J Biol Chem.* 277(36):33188-95.
- 3.Gould KL, *et al.* (1989) cDNA cloning and sequencing of the protein-tyrosine kinase substrate, ezrin, reveals homology to band 4.1. *EMBO J.* 8(13):4133-42.

Manufactured By Sino Biological Inc., FOR RESEARCH USE ONLY. NOT FOR USE IN HUMANS.

Fax :+86-10-51029969 • Tel:+86-400-890-9989 • <http://www.sinobiological.com>