

Human Resistin / ADSF / RETN Protein (Fc Tag)

Catalog Number: 13055-H01H



Sino Biological Inc.
Biological Solution Specialist

General Information

Gene Name Synonym:

ADSF; FIZZ3; RETN1; RSTN; XCP1; ADSF; Fizz3; Rstn; Xcp4

Protein Construction:

A DNA sequence encoding the human RETN (NP_065148.1) (Ser17-Pro108) was expressed with the Fc region of human IgG1 at the N-terminus.

Source: Human

Expression Host: Human Cells

QC Testing

Purity: > 85 % as determined by SDS-PAGE.

Endotoxin:

< 1.0 EU per µg protein as determined by the LAL method.

Stability:

Samples are stable for up to twelve months from date of receipt at -70 °C

Predicted N terminal: Glu

Molecular Mass:

The recombinant human RETN consists 352 amino acids and predicts a molecular mass of 38.2 kDa.

Formulation:

Lyophilized from sterile PBS, pH 7.4.

Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization. Specific concentrations are included in the hardcopy of COA. Please contact us for any concerns or special requirements.

Usage Guide

Storage:


Store it under sterile conditions at -20°C to -80°C upon receiving. Recommend to aliquot the protein into smaller quantities for optimal storage.

Avoid repeated freeze-thaw cycles.

Reconstitution:

Detailed reconstitution instructions are sent along with the products.

SDS-PAGE:



References

- 1.Verma S, *et al.* (2003) Resistin promotes endothelial cell activation: further evidence of adipokine-endothelial interaction. *Circulation*. 108(6):736-40.
- 2.Reilly MP, *et al.* (2005) Resistin is an inflammatory marker of atherosclerosis in humans. *Circulation*. 111(7):932-9.
- 3.Steppan CM, *et al.* (2002) Resistin and obesity-associated insulin resistance. *Trends Endocrinol Metab*. 13(1):18-23.

Manufactured By Sino Biological Inc., FOR RESEARCH USE ONLY. NOT FOR USE IN HUMANS.

Fax :+86-10-51029969 • Tel:+86-400-890-9989 • <http://www.sinobiological.com>